

# LCRF 260 W LITE



Color: **White**  
Panel: **LITE**

- LED backlit control panel
- Temperature display resolution 0,1°C
- Audible and visual alarms
- Dry contact for alarms signal remoting

## TECHNICAL FEATURES

Product Code	AKC600L
--------------	---------

TECHNICAL FEATURES	
Temperature	0°C / +15°C   -5°C / -20°C
Refrigeration Type	Forced air
Condensate Evaporation	Automatic
Refrigerant Gas	R290
Climatic Class	+16°C / +32°C (N)
External Dimensions (W x D x H mm)	530 x 650 x 1700 (LITE) / 1900 (ADV)

ELECTRICAL DATA	
Power Supply (V/ph/Hz)	220-230/1/50
Power Plug	Type F

STRUCTURAL FEATURES	
Structure	Upright
External Material	Anti-bacterial coated steel white colour
Internal Material	Stainless steel 18/10 AISI 304
Insulation Thickness (mm)	40
Insulated Door	Yes
Automatic Door Closure	Yes
Shelves Number	2/2
Shelf Material	Wire steel with white colour plastic coating
Shelves Dimensions (W x D mm)	397 x 500
Maximum Shelf Quantity	-

CONTROL PANEL	
Display Type	LED
Access Password	No

CONTROL PANEL	
Probe Type	Nr. 2 NTC
Alarm Signaling	Acoustic and visual
Alarm Indications	Codes
Adjustable High/Low Temperature Alarm	Yes
Adjustable Door Open Alarm	Yes
Power Loss Alarm	Yes
Probe Fault Alarm	Yes
Acoustic Alarm Silencing Options	Yes
Calibration	Yes
Alarm Memory	10
Dry Contact	Yes (NC)