HOSHIZAKI EUR( Burgemeester Stramal Tel: +31 20 691 8499 e-mail: sales@hoshiza web: www.hoshizaki-e	nweg 101 1101 AA Amsterdam, The Netherlands aki.nl	
Code:	COLD UNITS	Model:
172801010	PREMIER M W80 GN 2/1 SINGLE DOOR REFRIGERATOR CABINET	PREMIER M W80
Hygiene Heavy Duty		Easy Maintenance
	MAIN FEATURES	
<ul> <li>Most efficient air dist</li> <li>The inner liners and i stainless steel.</li> <li>Monoblock design</li> <li>Automatic fan cutout</li> <li>Wide magnetic remov</li> <li>40-42 kg/m3 density</li> <li>Protecting Class (IP2)</li> <li>Ventilated cooling des</li> </ul>	steel re -5/+12 °C pacity minimal temperature increase during defrost ribution inside with a specially designed air channel nner lower base which are moulded comply with the highest hygiene standards with round switch and internal led light vable gasket with triple insulation area provides an effective seal which reduces heat lost environment friendly HFC-Free Polyurethane insulation for low energy consumption (78 m X)	
	OPTIONS	
<ul> <li>Leg Option: Leg/Ca</li> <li>Shelf Option: Nylon</li> <li>Plug Option: UK/EU</li> <li>Door Option: Left H</li> </ul>	astor /Stainless linged / Right Hinged	
* Master Koy	ACCESSORIES	
<ul> <li>Master Key</li> <li>Set of Plastic Coated</li> <li>Set of Inox Shelf</li> <li>Set of Stainless Steel</li> <li>Set of Ø100 Castor</li> </ul>		
* EN 60335-1	European Standard relating to safety of household and similar electrical appliances European Standard relating to particular requirements for commercial refrigerating	
<ul><li>* EN 60335-2-89</li><li>* ISO 22041:2019</li></ul>	appliances with an incorporated or remote refrigerant unit or compressor Refrigerated storage cabinets and counters for professional use	CE
100 220 11.2019	Performance and energy consumption	



