#### HOSHIZAKI EUROPE B.V

Burgemeester Stramanweg 101 1101 AA Amsterdam, The Netherlands

Tel: +31 20 691 8499 e-mail: sales@hoshizaki.nl web: www.hoshizaki-europe.com



Code:	COLD UNITS	Model:
173801010	PREMIER F W80 GN 2/1 SINGLE DOOR FREEZER CABINET	PREMIER F W80











### **MAIN FEATURES**

- \* GN 2/1 size freezer with single door
- \* 304 quality stainless steel
- \* Operating temperature -25/-5 °C
- \* Maximum internal capacity minimal temperature increase during defrost
- \* Most efficient air distribution inside with a specially designed air channel
- \* The inner liners and inner lower base which are moulded comply with the highest hygiene standards with rounded corners and are made of stainless steel
- \* Monoblock design
- \* Automatic fan cutout switch and internal led light
- \* Wide magnetic removable gasket with triple insulation area provides an effective seal which reduces heat lost
- \* 40-42 kg/m3 density environment friendly HFC-Free Polyurethane insulation for low energy consumption (78 mm)
- \* Protecting Class (IP2X)
- \* Ventilated cooling design
- \* Reversible door allows the appliances to be adapted to any individual installation site

#### **OPTIONS**

- \* Leg Option: Leg/Castor\* Shelf Option: Nylon/Stainless
- \* Plug Option: UK/EU
- \* Door Option: Left Hinged / Right Hinged

### ACCESSORIES

- \* Master Key
- \* Set of Plastic Coated Shelf
- \* Set of Inox Shelf
- \* Set of Stainless Steel Leg
- \* Set of Ø100 Castor

CTANDA	DDC

\* EN 60335-1 European Standard relating to safety of household and similar electrical appliances

\* EN 60335-2-89 European Standard relating to particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor


\* ISO 22041:2019 Refrigerated storage cabinets and counters for professional use Performance and energy consumption



## HOSHIZAKI EUROPE B.V



Code:	COLD UNITS	Model:
173801010	PREMIER F W8	
1490	GN 2/1 SECT	527 ION G-G





DIMENSIONS (Net)			DIMENSIONS (Shipping)		
* Width (mm):	810	*	Width (mm):	870	
* Depth (mm):	800	*	Depth (mm):	760	
* Height (mm):	2080	*	Height (mm):	2250	
* Weight (kg):	125	*	Weight (kg):	135	
		*	Volume (m³):	1,49	

# TECHNICAL SPECIFICATIONS

* Gross Volume:	700 L	* Cooling Temperature:	-25/-5 °C
* Net Volume:	475 L	* Cooling Gas Type:	R290
* Climate Class:	CC5 (+40 °C - %40 Rh)	* Cooling Capacity:	376 W (-30° / +45°)
* Energy Efficiency Class:	С	* Supply Voltage:	230V / NPE 50 Hz
* Energy Efficiency Index:	46,58	* Protection Class:	IP 2X
* Energy Consumption:	4,87 kW/24h	* Cooling System Design:	Ventilated
* Connection Load:	520 W	* Sound Level:	52 dB

